

EEE: The Facts

Is there EEE in Maine?

Yes. Maine has found evidence of EEE exposure in all 16 counties. Maine has identified active virus in mosquitoes, birds, and mammals including horses and alpacas. In 2008, a Massachusetts resident died from EEE, likely acquired in Maine.

How are people infected?

EEE virus is spread through the bite of an infected mosquito. You cannot get EEE from another person or a horse.

Who is at risk?

Anyone bitten by an infected mosquito can get EEE. The virus is usually spread between birds and mosquitoes in freshwater wetlands or boggy areas. People who live, work, or play near these areas are at greatest risk. Children and adults over 50 years old are also at higher risk for EEE.

What are the symptoms?

EEE begins with sudden fever, headache, chills, and vomiting. It may progress to confusion, seizures, and coma. One third of patients with EEE die. Many survivors have brain damage.

For more information:

Maine Center for Disease Control and Prevention



maine.gov/idepi
800-821-5821



Maine Center for Disease Control and Prevention

An Office of the
Department of Health and Human Services

Paul R. LePage, Governor


Mary C. Mayhew, Commissioner

2014

Eastern Equine Encephalitis (EEE)



Image courtesy of eXtension.



EEE is a rare but serious viral disease that is spread by mosquitoes. EEE virus causes inflammation of the brain (encephalitis) in horses and humans.

You can protect yourself!

The only way to prevent EEE is to protect yourself and your family from mosquito bites.



EPA approved repellents for use on skin contain DEET, picaridin, oil of lemon eucalyptus, or IR3535.

What can I do to protect myself from EEE?

- There is no vaccine or drug to prevent EEE in humans.
- The only way to prevent EEE is to protect you and your family from mosquito bites.

The American Academy of Pediatrics says that repellents with up to 30% DEET can be used on children 2 months and older.

How can I prevent mosquito bites?

- Use repellent.
- Wear long-sleeved shirts, long pants, and socks.
- Place mosquito netting over infant carriers.
- Consider staying indoors at peak mosquito biting times (dawn and dusk).
- Install or repair screens on windows and doors.
- Empty water from flower pots, buckets, barrels, pools, and containers.

What should I know about using repellent?

- Always follow the directions on the label.
- Reapply as needed.
- Do not apply to the eyes or mouth.
- Apply repellent to your hands and rub them on your child.
- Do not apply repellent to children's hands. They will end up in their mouth.

What repellents should I use?

Use on exposed skin or clothing

- **DEET** products such as Off!®, Cutter®, Sawyer®, and Ultrathon™.
- **Picaridin** products such as Cutter Advanced™ and Avon Skin So Soft Bug Guard Plus®.
- **Oil of lemon eucalyptus** products such as Repel® (Not approved for use on children under 3 years old).
- **IR3535** products include Avon Skin So Soft Bug Guard Plus Expedition™.

Use only on clothing or gear

- **Permethrin** products such as Sawyer® Premium Insect Repellent.